


Burt Klos MD PhD
ICONE Orthopedics & Sports traumatology
The Netherlands

Meniscus dynamic imaging
with ultrasound




ICONE

Book Surgery of the Meniscus ESSKA 2016




Meniscus lesions

- Conservative treatment
- Operative treatment
- Meniscal repair



- Important factor
- Ligamentous insufficiency



ICONE



Ultrasound positions

prone ,rotation, supine ,hyperflexion




Improvements image quality


2006-2008 2008-2010 2011-2014





2015-
2018



Dynamic HR meniscus ultrasound





Vascular zones



Cross Section



Blood Supply To The Meniscus



ICON


ESSKA 1994

Human meniscal repair >>

Histology meniscus resection after repair

Neovascularisation


2 months	+++
5 months	++
5 months	+
12 months	+
20 months	0
48 months	0




ICONE

Meniscus stable repair


- Video stable repair (ESSKA book) with implant




Knee ultrasound doppler




Fresh lateral meniscus doppler




Liver tumors doppler vs microflow



A



B




C





D

Meniscus vascularisation






ICONE

Sequential follow up in ACL / monitoring the meniscus @ 4 weeks conservative treatment




ICONE

Meniscus repair follow up




X Flow / microvascularisation



ICONe

Healing



ICONE



Dynamic ultrasound developments
Improved imaging
Doppler flow >
Microflow

Vascularisation meniscus is dynamic and
key for monitoring healing